




ORIGIN 8

1) Importowanie plików (77, 110, 150, 170, 210, 250, 285K)







2) Zaznaczenie i usuniecie zbędnych kolum




3) Zmiana nazwy (usunięcie .txt) – Comments, dodanie Long Name i Units




4) Wstawianie wykresu



- 5) Skalowanie osi X <200:8000> increment: 1500, Y <-2000:40000> increment: 5000;
Grid Lines – vertical I horizontal (additional lines, opposite)



- 6) Dodanie nowego arkusza




7) Wstawianie wartosci w kolumnie X od 1 do 10 i Y

The image consists of two screenshots of the OriginPro 8.0 software interface, demonstrating the steps to set column values.

Top Screenshot: The 'Book1 - 77K.txt' window is open. A right-click context menu is displayed over the column list. The 'Set Column Values...' option is highlighted. The background shows a plot of 'Time' vs 'LUC200 Flow a [m³]'.

Bottom Screenshot: The 'Set Values - [Book1]Sheet1[Col(A)]' dialog box is open. The 'Formula' field contains 'wcol(1) Col(A) F(x)'. The 'Row (i): From 1 To 10' is specified. The 'Col(A)' field is empty. The 'Recalculate' dropdown is set to 'None'. The background shows the same plot as the top screenshot.

8) Wstawianie wykresu punktowego



9) Fit linear

